



T15054



PROVIDING ALL THE SUPPORT YOU NEED

Site Surveys

AkzoNobel representatives can carry out a full site inspection. This will include assessment of the current condition of surface coatings, help with identification of difficult substrates and advice on extending maintenance cycles.

Specification Writing

Dulux Trade offers full specification support tailored to your individual requirements. This will ensure that correct preparation is highlighted and the products specified are the most appropriate for the location, environment and substrate type.

Contract Meetings

AkzoNobel representatives can attend pre-contract, project review and post-contract assessment meetings, ensuring collaboration and clear communication from concept to completion.

Site Visits

During the course of the work, if required, site visits can be made to ensure that work is being carried out correctly and in accordance to the specification.

To discuss further the specifics of your project and how **Dulux Trade** can help you, contact your local Dulux Trade Specifier Account Manager or email us at duluxtrade.advice@akzonobel.com

Interact with Dulux Trade



*Compared with Dulux Trade Vinyl Silk. † This figure is based on theoretical calculations on pairs of bare rooms of dimensions 4 x 3 x 2.4m where the light incident on all surfaces is averaged. The rooms all have the same mid-grey floor colour (LRV 50). They have a white ceiling and a colour on the walls. In one of each pair, the colour used is from the Light & Space range. In the other, the colour used is from conventional products. The Light & Space and conventional colours have similar hue (colour family) and chroma (intensity of colour). The energy savings will not always equate to 22%. They will vary depending on the contents, dimensions and floor colour of the room and will differ if lighting in particular areas needs to be controlled. The calculated figure varies from 14% to 28% depending on the wall colour chosen. The actual light energy savings achieved in practice may differ from the calculations. # Weathershield Smooth Masonry in normal conditions, with two coats properly applied, will have good colour stability and will protect for up to 15 years. ^when used as a system with Metalshield primer. † than standard Diamond Eggshell

Contact Us

For product/Health and Safety data sheets please visit our website duluxtradepaintexpert.co.uk


For more information or technical advice please contact **Dulux Trade** Technical Advice Centre on **0333 222 70 70**

AkzoNobel, the AkzoNobel logo, Dulux, Dulux Trade, the Flourish logo, Cuprinol, Sikkens, International, Heritage, Colour Futures, White Dimensions, Weathershield, Ecosure, Light & Space, Colour Palette, Dulux Trade Contract Direct, Dulux Trade Contract Partnership, the Environmental Impact Analyser logo, Sterishield, Cladshield, Pyroshield and Metalshield are trademarks of the AkzoNobel group. © AkzoNobel 2018.

DE_00954_090315

EDUCATION

SPECIFIER GUIDE





CREATING SMART ENVIRONMENTS FOR PLACES OF LEARNING

Schools, colleges and universities are unique places. Their environment has to be conducive to learning and stimulating to the senses, yet durable enough to withstand a constant daily flow of heavy traffic. That presents severe challenges when choosing decorative products and colour schemes, and nobody is better placed than we are to help you meet those challenges.

We have a proven track record in the education sector. First and foremost, we understand the pressures you face to get the right result. We also understand how staff and students engage with the building, positively or otherwise. And of course we know how crucial it is for you to keep costs down by minimising the need for maintenance and redecoration.

Our **AkzoNobel** representatives, education experts and colour consultants are on hand to help you choose the most suitable products, create appropriate colour schemes and achieve results that balance a stimulating environment with practicality.

Work together with us and we'll make sure your project gets top marks for design and durability; meeting your sustainability objectives too. Start by calling our team on **0333 222 70 70** or visit **duluxtradepaintexpert.co.uk**

CONTENTS

Introduction	03	Exterior areas	16
Sustainability	04	Sports facilities	18
Colour	06	Toilets, changing and catering areas	19
The Equality Act	08	Product selection	20
Corridors and circulation areas	10	Specifier support	24
Classrooms	12	Technical specifications	26
Student accommodation	14		

WE ARE COMMITTED TO DOING MORE WITH LESS

Dulux Trade believe that a brighter future is possible for our planet if we work to deliver more value from fewer resources.

At **Dulux Trade** we offer solutions that deliver positive sustainability benefits, as well as reducing our products' environmental impact.

We're working to make longer lasting, lower maintenance finishes so that less paint is needed, and we offer water-based alternatives to traditional solvent-based products - making a positive change to how paints impact indoor air quality and the wellbeing of building users. As gold-leaf members of the **UK Green Building Council**, we also look to engage with the broader industry and promote a more sustainable built environment transforming the way it is planned, designed, constructed, maintained and operated. To find out more about our activities and progress, check out duluxtradepaintexpert.co.uk/products/sustainability

LET'S COLOUR

Part of the Dulux vision is to make people's lives brighter and more colourful.

For 25 years, **Dulux** has sponsored the **Community Repaint scheme** - a network that collects leftover paint and redistributes it, enabling low-income households to decorate their homes. Behind the scenes, it also provides work experience to people from all walks of life – possibly a stepping stone back into the workplace or for some, it's simply a safe place to feel valued again.

Through partnerships with organisations such as **The Outward Bound Trust**, **Dulux** also aims to make a positive difference to disadvantaged young people who are in need of help to improve their life chances.



Duncan Lochhead
Commercial Sustainability Manager,
AkzoNobel Decorative Paints UK & Ireland

“ As a brand leader we have a critical role to play in reducing the environmental footprint associated with the use of our products and delivering innovations that allow our customers to achieve their sustainability goals. ”



EDUCATION AND SUSTAINABILITY

Choosing **Dulux Trade** specialist coatings, trim paints and woodcare products is a wise investment in the future of the project, as well as a step towards greater sustainability, for two reasons:

1. Longer lasting protection means less frequent maintenance and redecoration over the project's lifetime. Both have an environmental impact.
2. Because of the outstanding opacity of **Dulux Trade** products, smaller quantities are required to create a professional finish over a given area. So ultimately fewer resources and raw materials are used in manufacturing and transporting paint. A perfect example of doing more with less.

TO ASSESS THE ENVIRONMENTAL IMPACT OF A PRODUCT, ASK THREE SIMPLE QUESTIONS:



WHAT'S IN IT?

Dulux Trade products are assessed using the **Environmental Impact Analyser**. This measures 'what's in it' in the widest sense: the total environmental impact of the raw materials, energy, water... all the resources used before the product leaves the factory.




HOW MUCH DO YOU NEED?

The greater the opacity of a coating, the less is required to deliver an excellent result. With **Sterishield Diamond Eggshell** for example a smooth surface can be covered at 17m² per litre.



HOW LONG DOES IT LAST?

A longer lasting finish means that less frequent redecoration is required. For example **Diamond** offers up to 5 years protection, so the usual maintenance cycle can be significantly extended.



TAILORING THE COLOUR PALETTE TO THE AGE GROUP

Primary, secondary and further education students are very different 'audiences' with diverse needs and preferences when it comes to colour.

COLOUR PALETTE

We have created three sample palettes to illustrate the suggested approach for each sector. The palettes contain nine colours because they are designed to be used across the whole extent of a building or complex, with two or three colours selected for individual areas. There is no need to use every colour on a given project.

CREATING A COLOUR SCHEME

Often a single 'theme' colour is used to link different zones, creating a sense of unity and flow throughout the site and aiding navigation. Flexibility is key. For example you may wish to choose bright, uplifting accent colours in teaching areas, with a neutral shade as the main wall colour.



PRIMARY EDUCATION

The main task when decorating for the youngest age group is stimulating fun and play. Choose clean, fresh neutral wall colours and complement them with uplifting accent colours for feature walls and doors in teaching spaces. Remember, too, that the **Dulux Trade** range includes Sterishield, a specialist paint that can help to create a hygienic environment for primary and secondary school children by inhibiting the growth of bacteria.



SECONDARY EDUCATION

Mid-teens want to feel they are being treated as young adults, so their palette features colours that are more mature but still fun and inspiring. Otherwise similar principles hold true: brighter accent colours for feature walls and doors, complemented by neutral shades for main walls. Durable finishes such as the **Dulux Trade** Diamond range are even more essential for these bigger, more boisterous youngsters, and it is again worth considering the use of an anti-bacterial Sterishield finish in catering areas for example.



FURTHER EDUCATION

16+ students are a diverse bunch but this dynamic palette will enable you to create modern, engaging spaces in which they'll feel happy to learn, chill and play. The **Dulux Trade** team can also help you meet your sustainability objectives with products designed to minimise the environmental impact of the decorating process as well as waste-reducing solutions including can recycling.



USING COLOUR EFFECTIVELY IN LINE WITH THE EQUALITY ACT GUIDELINES

The Equality Act Guidelines are designed to help you make your building accessible and easier to navigate for people with a visual impairment.

THE EQUALITY ACT

These guidelines are designed to make it easier for any students, teachers or visitors with a visual impairment to navigate through the building. Therefore it's important to use clearly distinguishable colours for walls, ceilings and doors, including doorframes. This is both good design practise and will help you follow the guidelines set out.



LRV values range from darkest 0 to 99 maximum possible light

LRV AND VISUAL CONTRAST

Dulux Trade have conducted research with RNIB, Guide Dogs for the Blind and Reading University to look into ways in which colour design can help the visually impaired. This established that over 80% of visually impaired people are able to discern colour difference, so using colour contrast can make their movement much easier.

Equality Act Approved Document to part M (ADM) and BS8300: 2009 advise that any colours used to differentiate adjacent critical surfaces should vary in their light reflectance value (LRV) by at least 30 points.

WALLS, DOORS AND SKIRTINGS

To comply with the act walls need to be clearly distinguishable from adjacent doors and floors. These 3 are the most important critical surfaces and so must have sufficient contrast between them.

For more information and guidance on colour contrast within the guidelines please contact your **Dulux Trade** representative, or email us at duluxtrade.advice@akzonobel.com or visit duluxtradepaintexpert.co.uk/web/ColourContrast



ACCESS ALL AREAS

Looking good is important of course, but durability and cleanability are equally important priorities in constantly used spaces such as corridors. Colours must also be chosen with an eye to making circulation areas easy to navigate and recognise.

DIAMOND DURABILITY

When it comes to paint finishes, durability is the key. That's why it is no surprise that the **Dulux Trade** Diamond range is so frequently chosen for busy places of learning. Designed for super high traffic areas, such as corridors and communal areas particularly, Diamond High Performance Eggshell provides a tough, stain resistant finish that can keep surfaces looking good for longer.

KEY POINTS TO CONSIDER

- A primary school is a great opportunity to use bright, cheerful colours
- Don't neglect corridors, they are ideal areas for injecting colour
- Use lighter shades on broad wall areas
- A satin finish looks smart and contemporary
- Consider the colour of the flooring when selecting your colours




DIAMOND MATT

Tough enough for normal corridor wear and tear, it not only withstands repeated cleaning but the innovative stain repellent technology helps protect walls from scuffs and stains.



DIAMOND HIGH PERFORMANCE EGGSHELL

Formulated for high traffic areas such as very busy corridors, especially below dado rail, it is made to survive the toughest environments.



PYROSHIELD

Flame retardant paint - available in hundreds of colours in either Matt or Eggshell finish.

See page 26 for further product information.

CASE STUDY

THE UNIVERSITY OF NORTHAMPTON,
COTTERS BROOKE, NORTHAMPTON BUSINESS SCHOOL



Matthew Waite
Head of Projects, Northampton University



“Dulux Trade helped us achieve great environments for our students and staff.”

An inspiring contemporary colour scheme, suitable for a busy university building used mainly by mature and part time students. That was the interior decor brief for this newly built extension.

Dulux Trade Commercial Colour Consultant Lisa Piley's solution integrated the flooring and furniture into the colour scheme to create a sense of flow, combining a delphinium shade from the existing building with feature walls in vivid pink and a deep night sky blue.

A hard wearing and durable finish is essential in such a busy environment, so ten times tougher **Dulux Trade** Diamond Matt was chosen for the corridors. The main problem in the classrooms is a shortage of natural light - ideal conditions for **Dulux Trade Light & Space**, which reflects light back into the room making them feel more spacious.

BRIGHT SPARKS

Classrooms are among the hardest working places in a school or college. Often space is limited and usually the room is crowded and hectic. This demands a colour scheme that delivers a sense of light and focus and makes the most of the space available. It also requires a finish that can survive heavy traffic and withstand constant cleaning.

FEATURE WALLS

Most classroom colour schemes are built around the use of a feature wall as the teaching wall. This is the wall the students will be facing most of the time, so using a suitable bright colour brings focus to the space and can actively encourage learning and concentration.


KEY POINTS TO CONSIDER

- If the natural light is from the north, a warm colour is recommended
- For a modern feel and a sense of space, pull the trim into the broad wall colour
- Create a teaching wall – a feature wall that gives focus and direction to the learning space
- Use matt or satin finishes to minimise glare on PC screens and young eyes
- Bear existing furniture and flooring in mind when choosing colours



DIAMOND EGGSHELL

The classic mid-sheen finish, perfect for classrooms because it's 10x tougher than ordinary water-based eggshells.



LIGHT & SPACE DIAMOND MATT

Natural light is a precious commodity in a classroom, reflective **Light & Space** can make any room feel brighter. Available in 3 different products; including Diamond Matt for a durable matt finish.



QUICK DRY SATINWOOD

A durable, water-based mid-sheen finish for all interior woodwork and metal. Quick drying time allows for minimum disruption.

See page 26 for further product information.

CASE STUDY

YSGOL GYMRAEG BRYNSIERFEL, LLANELLI



Trusted by Lisa Piley, Senior Colour Designer, Dulux Trade



“ A feature wall can focus students’ attention on where the action is happening. ”

A key objective for Carmarthenshire County Council at this brand new primary school was to create an inspirational teaching space for pupils aged 3 to 11 by optimising natural light within the internal areas with double height corridors, large windows and skylights.

To achieve this vision, construction company The Kier Group worked closely with **Dulux Trade**, who recommended the innovative, light reflective **Light & Space** colour range for corridors and large wall areas. Using the colours in tough stain resistant Diamond Matt meant they were able to bring durability to the schools high traffic areas while still maximising the available light.

Bold accent colours were then used for feature walls and to highlight various areas within the contemporary primary school resulting in a space flooded with both natural light and vibrant interest.

HOME FROM HOME

Dulux Trade has extensive experience with student accommodation providers having worked closely with many of them for a number of years.


STUDENT ACCOMMODATION

The first thing to remember when creating student accommodation is that this is their home and it needs to feel that way, with colour used to define distinct areas within each room and make common areas as welcoming as possible. It must also be a place they can make their own, and of course it's a space in which they will be spending long hours studying, so it's essential to conjure up an ambience in which young minds can learn and think.

Students being students, and with rotational maintenance tending to happen in 5-year cycles, durability, cleanability and the ability to withstand constant wear and tear are also crucial considerations.

KEY POINTS TO CONSIDER

- Think homely and welcoming, the tenant may have just left home for the very first time
- The **Dulux Trade** Diamond range is a wise choice with durability paramount
- Think about the kinds of colour students will have chosen back at home
- Keep things simple, so that the students can add their own personal touches
- Use a variety of unisex palettes around a hall of residence



DIAMOND MATT

A fashionable, stain resistant matt finish that, with student lifestyles in mind, is 10x more stain resistant than vinyl silks.



QUICK DRY GLOSS


A durable, water-based high-sheen finish for all interior woodwork and metal. Quick drying time allows for minimum disruption.



VINYL MATT

Water-based matt emulsion that goes easily onto dry plaster, woodchip and many building boards.

See page 26 for further product information.



CONTRASTING APPROACHES TO THE GREAT OUTDOORS

The exterior masonry and woodwork of an educational establishment has to work just as hard as the interior, and of course it has to stand up to the elements as well as the students - providing the finest long term protection and saving money by extending maintenance cycles.

WEATHERSHIELD PROTECTION

The **Dulux Trade Weathershield** range of exterior coatings is all about protection from the elements, ensuring that building exteriors look good and stay looking good long into the future. With the ability to extend maintenance cycles and help reduce a building's environmental impact over its lifetime, **Weathershield** is the smart choice for schools.

KEY POINTS TO CONSIDER

- The exterior gives everyone their first impression of the building, so it's essential that it looks good and stays that way
- Choose the finish that best meets your requirements in terms of durability and visual impact
- Consider the surrounding environment (built and natural) when selecting external colours
- Bear in mind the textures as well as the colours of substrates that are visible nearby



WEATHERSHIELD SMOOTH MASONRY

A quick drying water-based exterior masonry paint providing a smooth finish and up to 15 years protection.



WEATHERSHIELD EXTERIOR GLOSS

Used as a system the High Gloss and Undercoat provide a high gloss finish and up to 8 years protection.



METALSHIELD

High gloss finish for exterior metal that can provide up to 8 years protection and increase maintenance cycles when used with a Metalshield primer.



“ The design and colour choices have energised not only the learners but also the staff. ”

Chris Wynne
Art Hub Leader, Portland College

SPORTING LESSONS

Sporting facilities in an educational environment have their own set of rules. With long experience in the field, the **Dulux Trade** team has the coaching expertise to make sure your project is a winner.

COLOURS

Using cool, unobtrusive tones is one key tip. Large expanses of vivid colour can be too overwhelming in such a hectic environment, so if a school or college colour is especially bright, it may be wise to consider a lighter tint of it. Using split colours for the upper and lower sections of the walls helps with visibility.

PRODUCTS AND FINISHES

The right hardwearing anti-slip flooring is crucial for indoor sports facilities, so this may influence the choice of wall and ceiling colours. And because gym walls tend to be so large and expensive to redecorate, choosing products that extend maintenance cycles as far as possible – such as Diamond High Performance Eggshell – can mean major cost savings.



WHERE HYGIENE IS PARAMOUNT

Hygiene and the ability to stand constant cleaning are crucial when decorating toilets and changing areas and choosing colour schemes for kitchens and dining areas. Because the **Dulux Trade** colour palette extends into so many specialist products areas, it's not a problem balancing practicality with the need to fit into the overall colour scheme.

TOILETS, CHANGING AND CATERING AREAS

Dulux Trade Sterishield Diamond Matt, for example, is ideal for toilet areas and kitchens. It can actively inhibit the spread of bacteria and is durable and scrubable – extending maintenance cycles.

Dulux Trade Mouldshield Matt and Eggshell both contain a mould-resisting fungicide and are perfect in changing rooms, kitchens and wherever moisture levels are high.

When choosing colours for dining rooms, cafeterias and refectories it's important to consider that they are also key socialising and relaxing areas. Diamond Eggshell, with its stain repellent technology, is an ideal finish, bearing in mind the need for cleaning up food spillages on a regular basis. Also consider Durable Flat Matt too, which can help achieve a cool café.

KEY POINTS TO CONSIDER

- Ensure the walls provide a good contrasting background for balls and other sporting equipment
- No need to sacrifice colour for functionality, specialist finishes such as Sterishield and Mouldshield are available in thousands of colours
- Sports halls and dining areas are often used for social functions, so there's a strong case for a well considered colour scheme
- Consider **Light & Space** colours wherever there's a lack of natural light



STERISHIELD

To suit locations as different as toilets and canteens, bactericidal Sterishield is available in both 10x tougher Diamond Matt and Quick Drying Eggshell.



DIAMOND EGGSHELL

The classic mid-sheen finish will withstand constant cleaning because it's 10x tougher than ordinary water-based eggshells.



MOULDSHIELD

Antibacterial paint ideal for where moisture levels are high.

See page 26 for further product information.

THE RIGHT DULUX TRADE PRODUCT FOR EVERY PURPOSE

The **Dulux Trade** range has been developed in the world leading laboratories of **AkzoNobel** to deliver precise solutions to the widest possible array of interior and exterior decorating challenges.

PRODUCT RANGE

With the unrivalled **Dulux Trade Colour Palette** available in so many paints and specialist coatings, and expert advice on hand whenever required, you will always be able to find the right solution for every task.

PRODUCT SELECTION

Given the number of different spaces for working within a learning environment, we have grouped our products here by application area to help make selection as simple as possible.



Walls and ceilings

Matt, Eggshell, Soft Sheen... whichever finish, product or colour you choose for walls and ceilings, you can be sure of best in class spreading rate, performance and durability.



DIAMOND RANGE

- 10x tougher water based formulations*
- Outstanding durability and stain resistance
- Available in Matt, Eggshell, High Performance Eggshell and Sterishield

LIGHT & SPACE RANGE

- Uses revolutionary **LumiTec** technology to reflect the light around the room
- Rooms feel more spacious
- Make an energy saving of up to 22%†

DURABLE FLAT MATT

- High quality durable paint with a flat finish
- Excellent opacity and coverage
- Perfect to hide imperfections

VINYL MATT

- Perfect for use on walls and ceilings
- Excellent finish
- Ideal for use on woodchip, dry plaster and a range of building boards

PYROSHIELD RANGE

- Flame retardant coatings ideal for communal areas
- Water-based, low odour, non hazardous formulations
- Upgrade multi-layered previously painted surfaces to Class 0

STERISHIELD RANGE

- Silver bactericide actively inhibits bacterial growth
- Water-based and non-hazardous
- Withstands repeated cleaning, extending maintenance cycles

*† for full details see back cover.

Trim

Whether you are redecorating existing interior woodwork or painting from new, the **Dulux Trade** range will help you achieve a finish that looks great and, even more importantly, lasts.



QUICK DRY UNDERCOAT

- The ideal foundation for Quick Dry Gloss
- Advanced water-based technology
- Excellent opacity and coverage

QUICK DRY GLOSS

- A quick drying, advanced water-based high gloss
- Smooth, tough, durable top coat
- Suitable for interior wood and metal

QUICK DRY SATINWOOD

- A quick drying excellent satin finish
- Advanced water-based technology
- Tough, durable finish ideal for all interior wood and metal

Floor

Being walked, run, skipped and stamped on day in day out is a uniquely demanding examination of a paint's quality and character. Choose specialist floor paints from **Dulux Trade** and you can be sure the floor will stand up to it.



FLOORSHIELD

- Hard wearing with excellent abrasion resistance
- Up to 40% greater coverage than rival products
- Withstands repeated washing and mild chemical spillage

HIGH PERFORMANCE FLOOR PAINT

- Two-pack water-based epoxy floor paint
- Suitable for areas subject to high wear
- Highly durable mid-sheen finish

Exterior

Just say the word **Weathershield** and anyone who knows about paint will know you're talking about durability that lasts up to 15 years on masonry and up to 10 years on exterior woodwork.



WEATHERSHIELD SMOOTH MASONRY

- Smooth finish masonry paint offering up to 15 years protection*
- Water-based
- Contains fungicide and algicide

METALSHIELD

- Up to 8 years protection*
- Wide choice of colours
- Quick drying times

WEATHERSHIELD HIGH GLOSS

- High gloss finish for exterior joinery and smooth planed wood
- Up to 8 years protection
- Contains fungicide

ULTIMATE RANGE

- Highly flexible finishes resist cracking, flaking and peeling
- Formulated for up to 10 years protection
- Excellent water repellency



*^ for full details see back cover.

SUPERB PRODUCTS BACKED BY EXCEPTIONAL SUPPORT

With the latest online specification tools and partnerships with independently assessed, quality assured specialist painting contractors, you can be even more confident about achieving the right result on every project.

PAINT SPECIFICATION CREATOR

Experience the next generation of online paint and woodcare specification.

Paint Specification Creator is the definitive source of decorative product information for architects and other professional specifiers. Building your paint specifications has never been easier. Simply search, filter and select the right paint for your project and the relevant clauses will be added in automatically. Customise with your company logo and bespoke project details and **Paint Specification Creator** will build this into the documentation for a more professional presentation, every time.



ENHANCED FEATURES INCLUDE:

- Find the best paint systems for your project in a matter of clicks
- Save time through improved interface and search functionality
- Share projects with colleagues and clients

For more information visit paintspecificationcreator.co.uk

DULUX TRADE CONTRACT PARTNERSHIP

Dulux Trade Contract Partnership is an exclusive membership scheme of independently assessed, quality assured painting contractors.

By joining the scheme, contractors are demonstrating their commitment to providing an outstanding professional service to their clients. Members are committed to demonstrating industry leading sustainability best practice and are well placed in helping clients meet their specific environmental, social and economic objectives.



A DULUX TRADE CONTRACT PARTNER IS COMMITTED TO:

- Quality workmanship
- Delivering a professional service
- Continual improvement
- Providing value for money
- Being reliable and trustworthy

The on-going assessment programme and Code of Practice demonstrate how **Dulux Trade** Contract Partners are working to a consistently high standard of workmanship and professionalism.

When you need a project completed right first time, on time and there is no room for error – you can rely on a **Dulux Trade** Contract Partner.

For more information visit contractpartnership.co.uk



TECHNICAL INFORMATION

PRODUCT	Coverage (approx per litre)	Recoat (Hours)	Suitable for	VOC Content	Key Benefits	Application Methods
Dulux Trade Diamond Matt	Up to 16m ² /L	4-6	Corridors, communal areas & student accommodation	Low	Durable, washable & stain resistant	🔪 🖌️ 🪄 🪄
Dulux Trade Diamond Eggshell	Up to 16m ² /L	4-6	Corridors, communal areas & student accommodation	Low	Durable, washable & stain resistant	🔪 🖌️ 🪄 🪄
Dulux Trade Diamond High Performance Eggshell	Up to 16m ² /L	4-6	Corridors & sports halls	Low	43% more scuff resistant*	🔪 🖌️ 🪄 🪄
Light & Space Diamond Matt	Up to 16m ² /L	4-6	Classrooms & corridors	Low	Uses up to 22% [†] less light energy	🔪 🖌️ 🪄 🪄
Dulux Trade Vinyl Matt	Up to 17m ² /L	2-4	Classrooms & ceilings	Low	Excellent opacity & finish	🔪 🖌️ 🪄 🪄
Dulux Trade Sterishield Diamond Eggshell	Up to 17m ² /L	2-4	Catering areas	Low	Durable, washable & anti-bacterial	🔪 🖌️ 🪄 🪄
Dulux Trade Floorshield	Up to 16m ² /L	12-16	Sports halls	High	Durable & hardwearing	🔪 🖌️
Dulux Trade Pyroshield Durable Matt	Up to 12m ² /L	2-4	Corridors & escape routes	Low	Flame retardant durable upgrade	🔪 🖌️ 🪄
Mouldshield Eggshell	Up to 17m ² /L	4-6	Toilets, kitchens & changing areas	Low	Inhibits growth of mould & fungi	🔪 🖌️
Dulux Trade Metalshield Gloss	Up to 13m ² /L	4-6	Suitable for all metals	High	Up to 8 years protection*	🔪 🖌️
Dulux Trade High Performance Floor Paint	Up to 6m ² /L	16-24	Sports halls	Medium	Suitable for areas of high wear	🔪 🖌️
Dulux Trade Quick Dry Gloss	Up to 12m ² /L	6	All trim	Low	Quick drying, non-yellowing, high sheen finish	🔪 🖌️ 🪄 🪄
Dulux Trade Quick Dry Undercoat	Up to 10m ² /L	4-5	All trim	Medium	Quick drying, excellent opacity & coverage	🔪 🖌️ 🪄 🪄
Dulux Trade Quick Dry Satinwood	Up to 12m ² /L	6	All trim	Medium	Quick drying, smooth, durable, satin finish	🔪 🖌️ 🪄 🪄
Weathershield Smooth Masonry	Up to 16m ² /L	2-4	Exterior masonry	Low	Up to 15 years protection*	🔪 🖌️ 🪄 🪄
Weathershield Exterior High Gloss	Up to 18m ² /L	16-24	Exterior joinery, smooth planned wood	High	Up to 8 years protection	🔪
Ultimate Woodstain	Up to 20m ² /L	16	Exterior joinery & cladding	High	Up to 10 years protection	🔪

*†† For full details see the back cover

