AkzoNobel

Cuprinol

Professional Product Guide

PRESERVING & TRANSFORMING LANDSCAPE WOOD

A BRIGHTER FUTURE AS A CONTRACTOR

Become a member of the **Dulux Trade Contract Partnership** scheme and your business will tick all the boxes when it comes to winning larger commercial and public sector projects. It's the UK's leading membership scheme for independently assessed, quality assured painting contractors. A clear demonstration of your commitment to:

- Consistently high quality workmanship
- Reliably outstanding professional service
- Continuous improvement
- Value for money
- Meeting sustainability goals

When building contractors, property owners and specifiers need a decorating project completed right first time, on time, on budget and with no room for error, they know they can rely on a **Dulux Trade** Contract Partner.

For more information, visit contractpartnership.co.uk

For a quality job, trust your local Dulux Select Decorator

- Workmanship guaranteed* for 2 years
- Your independent professional is assessed by **Dulux**
- Highest standards assured by the **Dulux** Code of Practice

Call **Dulux** now on **0333 222 7022** or visit the website: duluxselectdecorators.co.uk

*Terms and conditions apply. See duluxselectdecorators.co.uk

With a wide range of formulations available, Cuprinol products are designed to both preserve landscape woods and transform their appearance.

Developed to deliver outstanding results that last, our products can take care of everything from fencing and decking to timber buildings and beyond.

For over 75 years the Cuprinol team has been working hard to keep Britain's wood looking good and our reputation as an authority and innovator in woodcare technology continues today. So you can expect the very best performance out of every stain, preserver, filler or treatment you choose from our range.

Plus when it comes to colours, we bring you an extensive range of shades in both semi-transparent and opaque finishes to help you bring more life to wood in the landscape

CONTENTS

4 **LANDSCAPE**
Fencing, cladding, decking and garden structures can be treated and transformed with the quality and colour available in the **Cuprinol** range.

7 **TREATMENTS & FILLERS**
Preserving, filling and treating insect and fungal attack – every preparation job is supported by the best formulations from **Cuprinol.**

10 **COLOUR RANGE**
A wide choice of colour ranges including semi-transparent and opaque, to enhance the appeal of wood and broaden your creative options.

CUPRINOL PRODUCT SELECTOR GUIDE

In order to make choosing the right product quick and simple, our at-a-glance guide shows what each product is used for, the type of finish and whether it is solvent-based or water-based.

Landscape products

	PLACE OF APPLICATION					PRODUCT FINISH		WATER/ SOLVENT-BASED
	FENCES/ SHEDS	DECKING	FURNITURE	FASCIAS/ CLADDING	DECORATIVE STRUCTURES	Semi-transparent	Opaque	
Cladding & Fence Opaque Finish	✓		✓	✓	✓		✓	Solvent-based
Quick Drying Cladding & Fence Opaque Finish	✓		✓	✓	✓		✓	Water-based
Garden Shades	✓		✓	✓	✓		✓	Water-based
Exterior Wood Preserver (BP)#	✓			✓	✓	✓		Water-based
Ultimate Garden Wood Preserver#	✓			✓	✓	✓		Water-based
Ducksback	✓						✓	Water-based
Anti-Slip Decking Stain		✓				✓		Water-based
UV Guard Decking Oil		✓				✓		Water-based

Treatments & Fillers

	PLACE OF APPLICATION				INTERIOR/ EXTERIOR	WATER/ SOLVENT-BASED
	FENCES/SHEDS	FURNITURE	JOINERY/ DOORS	REPAIRS		
5 Star Complete Wood Treatment (WB)#			✓		Interior	Water-based
Woodworm Killer (WB)#		✓	✓		Interior	Water-based
Ultra Tough Wood Filler				✓	Interior & Exterior	Solvent-based
All Purpose Wood Filler				✓	Interior & Exterior	Water-based
Ultimate Repair Hardener			✓	✓	Interior & Exterior	Solvent-based
Wood Preserver Clear (BP)#	✓	✓	✓	✓	Interior*	Solvent-based

#See last page for full details. *Occasionally wet or interior wood with risk of condensation.

LANDSCAPE

Today, landscape design is a high profile topic and many people are prepared to invest in their exterior spaces. **Cuprinol** offers a wide product choice, quality formulations and an extensive colour range ensuring long lasting good looks with optimum protection for rough sawn and smooth planed timber.

In this section:

- Products for use on fencing, sheds, gates, garden furniture and decking
- Other products available in the **Cuprinol** range



CLADDING & FENCE OPAQUE FINISH

Opaque wood finish

Ideal for fencing, cladding, sheds and furniture

SOLVENT-BASED

- A high performance weather resistant opaque woodstain
- Application by all methods
- For rough sawn or smooth fencing, cladding and garden structures

DRYING TIME	4-6 hours
RECOAT TIME	16 hours
COVERAGE	Smooth wood: up to 12m²/litre/coat. Rough sawn wood: up to 6m²/litre/coat
PACK SIZES	10 litre
COLOUR CHOICE	Available in 6 colours. See page 17

QUICK DRYING CLADDING & FENCE OPAQUE FINISH

Opaque wood finish

Ideal for fencing, cladding, sheds and furniture

WATER-BASED

- Protects and decorates
- Water-based, quick drying
- Application by brush, roller or sprayer

DRYING TIME	1-2 hours
RECOAT TIME	4 hours
COVERAGE	Smooth wood: up to 12m²/litre/coat. Rough sawn wood: up to 6m²/litre/coat
PACK SIZES	10 litre
COLOUR CHOICE	Available in 6 colours. See page 17

GARDEN SHADES

Opaque wood finish available in a variety of colours

Ideal for all types of garden wood

WATER-BASED

- 6 years weather protection on wood
- Suitable for wood, terracotta, brick & stone
- Matt finish
- Application by brush or sprayer

DRYING TIME	2-8 hours. Subsequent coats MUST be applied same day no longer than 8 hours apart.
COVERAGE	Smooth planed wood and terracotta: Brush: up to 10-12m²/litre, Spray: 4-5m²/litre. Rough sawn wood, stone and brick: Brush: up to 3-5m²/litre. Spray:2-3m²/litre.*
PACK SIZES	50ml, 1 litre, 2.5 litre, 5 litre
COLOUR CHOICE	Available in 90 colours. See page 18-19 for a selection

DUCKSBACK

Wax enriched opaque wood finish

Ideal for rough sawn fences and sheds

WATER-BASED

- 5 years weather protection*
- Easy application, non drip
- Shower proof in 1 hour
- Lasts longer and provides extra protection against the weather, algae and UV rays

DRYING TIME	2-4 hours
COVERAGE	Up to 6m²/litre with 1 coat or 2 fence panel sides (6'x5'). Coverage can vary depending on application method and the condition and nature of the surface.
PACK SIZES	5 litre, 9 litre
COLOUR CHOICE	Available in 9 ready mixed colours. See cuprinoltrade.co.uk

*For full weather protection apply 2-3 coats.

ULTIMATE GARDEN WOOD PRESERVER#

High quality preserver giving five years colour and advance weather protection which prevents blue stain and decay

Ideal for fences and sheds

WATER-BASED

- Resists fading and colour change for up to 5 years
- Water repellent
- Protection against rot
- Protection against blue stain

DRYING TIME	2-6 hours
COVERAGE	Brush: Smooth planed wood: up to 20m²/litre/coat. Rough sawn wood: up to 16m²/litre/coat. Coverage may vary depending on the condition and nature of the surface.*
PACK SIZES	1 litre, 4 litre
COLOUR CHOICE	Available in 6 ready mixed colours. See page 17

EXTERIOR WOOD PRESERVER(BP)#

Coloured wood preserver which penetrates and protects against blue stain and rot

Ideal for fences and sheds

WATER-BASED

- Water repellent
- Brush application
- For rough sawn or smooth fencing, and garden structures such as fences, gates and sheds

DRYING TIME	Fully dry in 2-6 hours
RECOAT TIME	As soon as previous coat has soaked in
COVERAGE	Brush: up to 5m²/litre
PACK SIZES	2.5 litre, 5 litre, 25 litre
COLOUR CHOICE	Available in 5 ready mixed colours. See page 17

*Above ground contact use only. #See last page for full details.

ANTI-SLIP DECKING STAIN

Tough and durable anti-slip stain which colours and protects

Ideal for use on decking

WATER-BASED

- Water repellent - helps prevent decking splitting and cracking
- Vapour permeable - resists cracking, peeling and flaking
- UV resistant
- Anti-slip finish with Deck Grip technology

DRYING TIME	4-6 hours
COVERAGE	Smooth wood: up to 16m²/litre/coat
PACK SIZES	2.5 litre, 5 Litre
COLOUR CHOICE	Available in 13 ready mixed colours. See page 17

UV GUARD DECKING OIL

Penetrates deep into decks to nourish, enhance and protect against the weather

Ideal for use on decking

WATER-BASED

- Water repellent
- All weather protection
- Tinted formula revitalises the colour of weathered wood
- Replaces natural oils

DRYING TIME	1-2 days depending on conditions
COVERAGE	Up to 5m²/litre/coat
PACK SIZES	2.5 litre, 5 litre
COLOUR CHOICE	Available in 4 ready mixed colours. See page 17

TREATMENTS & FILLERS

Cuprinol is a leading brand in the all important treatments and wood fillers sector*. Without this calibre of professional quality preparation, wood is less than fully protected.

In this section:

- Products for use on all interior and exterior wood

*Based on latest available BCF, RR and 2020 Research Trade Tracker - MAT Q3 2017



5 STAR COMPLETE WOOD TREATMENT(WB)#

A clear, low odour, deep penetrating treatment

Ideal for interior use on sound wood and replacement timber

WATER-BASED

- Kills woodworm
- Prevents re-infestation
- Prevents wet rot
- Low odour formula
- Quick drying
- Long lasting

DRYING TIME	1 - 3 days under typical conditions. Treated wood should be allowed to dry for 3 days before laying certain types of floor coverings or hanging vinyl wallpaper, etc.
RECOAT TIME	After previous coat has soaked into the timber
COVERAGE	Brush: upto 5m²/litre. Dipping: At least 3 minutes.
PACK SIZES	2.5 litre, 5 litre, 25 litre

WOOD PRESERVER CLEAR(BP)#

A colourless all purpose preserver

Ideal for fences, sheds, furniture and joinery

SOLVENT-BASED

- Long lasting protection
- Deep penetrating
- Interior and exterior* use
- Protection against blue stain
- For UV protection overcoat with a coloured treatment

DRYING TIME	1-5 days under average temperatures with good ventilation. Treated wood should be allowed to dry for 6-8 weeks before laying certain types of floor coverings or hanging vinyl wallpaper.
RECOAT TIME	After previous coat has soaked into the timber
COVERAGE	Brush: 4-5m²/litre Dipping: Dip for at least 3 minutes
PACK SIZES	2.5 litre, 5 litre

#See last page for full details. *Occasionally wet or interior wood with risk of condensation.

WOODWORM KILLER(WB)#

A clear, low odour, deep penetrating treatment

Ideal for treatment against all forms of woodworm attack, eradicates woodworm and prevents re-infestation

WATER-BASED

- Prevents re-infestation
- Long lasting
- Low odour formulation

DRYING TIME	1 - 3 days under average temperature and with good ventilation, but longer under less favourable conditions. 6-8 weeks before laying certain types of floor covering.
RECOAT TIME	After previous coat has soaked into the timber
COVERAGE	3-4m²/litre
PACK SIZES	2.5 litre, 5 litre, 25 litre
COLOUR CHOICE	Clear

ULTIMATE REPAIR HARDENER

A wood hardener for repairing timber decayed by wet rot, providing a firm base for filling

Ideal for joinery and doors

SOLVENT-BASED

- Solvent-based colourless treatment
- Binds loose wood fibres
- Ideal for use with Ultra Tough Wood Filler
- Can be used outdoors or indoors

DRYING TIME	6 hours minimum
COVERAGE	As required
PACK SIZES	500ml

ULTRA TOUGH WOOD FILLER

A fast setting, high performance wood filler

Ideal for general repairs including deep holes

SOLVENT-BASED

- Gives long lasting weather resistant repair
- Can be screwed, sanded, filled and painted
- Resists shrinking, splitting and cracking

COVERAGE	As required
PACK SIZES	250gm, 500gm, 750gm
COLOUR CHOICE	Natural and White

ALL PURPOSE WOOD FILLER

Solvent-free, low odour acrylic formulation

Ideal for general purpose wood repairs prior to painting - for interior and exterior use

WATER-BASED

- Formulated to flex with the natural movement of wood
- Non-flammable
- Solvent-free and low odour
- Can be sanded when dry
- Can be painted, stained or varnished

COVERAGE	As required
PACK SIZES	310ml cartridge tube and 250ml & 500ml tubs
COLOUR CHOICE	White, Natural, Medium and Dark

PLANET POSSIBLE IS OUR COMMITMENT TO DOING MORE WITH LESS

Planet Possible™

At Cuprinol, we want to care for the planet as well as your garden that's why we are committed to doing more with less.

We've now moved much of our range to be water-based, reducing the solvents that go into the air, as well as making it easier for you to clean your brushes and applicators.

We make sure all our ingredients are responsibly sourced by working closely with our suppliers and independent experts to keep an eye on what we are doing. In our own operations we continuously strive to reduce our environmental impacts and all our UK sites use 100% renewable electricity. We are particularly proud to be recognised by the Carbon Trust for our reductions in carbon, waste and water.

We want to help you use less too. Please use our guides to calculate how much Cuprinol you need – our website has a nifty calculator to make this easy. Also check out our advice on how to clean up – it could save time and help reduce waste.

CARBON TRUST STANDARD

CO_2

REDUCING YEAR ON YEAR

So use Cuprinol in your garden with confidence knowing we take care so you can just sit back and enjoy!

COLOUR RANGE†

Cuprinol products capture the colours of the landscape in a contemporary palette designed to broaden your colour horizons. Our range offers a wider than ever choice of woodstains and opaques, enabling you to create all kinds of effects from bright and bold to delicate and subtle.

†See last page for full details.

You can count on our colour expertise to bring you stunning, professional results across a product range that encompasses everything from Exterior Wood Preserver(BP)# to Anti-Slip Decking Stain, **Ducksback** fence treatments and our array of **Garden Shades**.



Ultimate Garden Wood Preserver#

- Red Cedar
- Autumn Brown
- Spruce Green
- Country Oak
- Golden Cedar
- Golden Oak

Exterior Wood Preserver(BP)#

- Rustic Green
- Acorn Brown
- Golden Brown
- Chestnut
- Black

Quick Drying Cladding & Fence Opaque Finish and Cladding & Fence Opaque Finish

- Moorland Green
- Autumn Cedar
- Rich Brown
- Rustic Walnut
- Dark Oak
- Black

5 Year Ducksback

- Forest Green
- Autumn Brown
- Harvest Brown
- Forest Oak
- Rich Cedar
- Autumn Gold
- Silver Copse™
- Woodland Moss
- Black

Anti-Slip Decking Stain

- Golden Maple
- Boston Teak
- Cedar Fall
- American Mahogany
- Hampshire Oak
- Vermont Green
- Urban Slate
- Black Ash
- City Stone
- Silver Birch
- Country Cedar
- Natural Oak
- Natural

UV Guard Decking Oil

- Natural
- Natural Oak
- Natural Pine
- Natural Cedar

#See last page for full details.

Opaque Colour Range Nature's Neutrals

Cool Marble™	Pale Jasmine	Sandy Shell™	White Daisy™	Morning Breeze™	Sky Reflection™
Blue Slate™	Natural Stone	Heart Wood™	Country Cream™	Winters Well™	Forget-me-not
Silver Birch™	Malted Barley™	Forest Mushroom™	Summer Breeze™	Winters Night™	Sweet Blueberry™
Urban Slate™	Frosted Glass™	Woodland Mink™	Pollen Yellow™	Beaumont Blue™	Royal Peacock™
Black Ash™	Muted Clay™	Smooth Pebble™	Spring Shoots™	Inky Stone™	Barleywood
Warm Flax™	Warm Foliage™	First Leaves™	Jungle Lagoon™	Coastal Mist™	Seagrass
Ground Nutmeg™	Olive Garden™	Misty Lawn™	Fresh Rosemary™	Clouded Dawn™	Gated Forest™
Rustic Brick™	Shaded Glen™	Wild Eucalyptus™	Highland Marsh™	Misty Lake™	Sage
Deep Russet™	Forest Pine™	Willow	Pebble Trail™	Purple Slate™	Holly
Seasoned Oak	Old English Green	Somerset Green	Wild Thyme	Dusky Gem™	Iris

Opaque Colour Range Nature's Brights

Mellow Moss™	Sunny Lime™	Mediterranean Glaze™	Terracotta	Summer Damson™	Porcelain Doll™
Fresh Daisy™	Green Orchid™	Lemon Slice™	Pale Thistle™	Rich Berry	Sweet Pea™
Fresh Pea™	Emerald Slate™	Buttercup Blast™	Raspberry Sorbet™	Crushed Chilli™	Berry Kiss™
Juice Grape™	Emerald Stone™	Dazzling Yellow™	Purple Pansy™	Rhubarb Compote™	Pink Honeysuckle™
Zingy Lime™	Beach Blue™	Honey Mango™	Lavender	Coral Splash™	Sweet Sundae™

AkzoNobel

#**Cuprinol** Wood Preserver Clear(BP), **Cuprinol** Exterior Wood Preserver(BP) and **Cuprinol** Ultimate Garden Wood Preserver contain propiconazole and IPBC. **Cuprinol** 5 Star Complete Wood Treatment(FP) contains propiconazole and flufenoxuron. **Cuprinol** Woodworm Killer(F) contains flufenoxuron. **Use biocides safely. Always read the label and product information before use.**

Contact Us

To receive more information on **Cuprinol** products register online at **cuprinoltrade.co.uk**

You can also request information, technical advice and help with product specification by calling **0333 222 7070**

Email: **cuprinol.advice@akzonobel.com**

Or write to: Cuprinol Advice Centre, Akzonobel, Wexham Road, Slough, SL2 5DS

†We have produced paint colours as accurately as printing will allow. Unfortunately we cannot guarantee an exact colour match, and the colours contained in this guide should not be relied on as such. Please ensure that you use a colour tester on the actual surface to be painted before undertaking your decoration. This will give you a stronger indication of the appearance of the actual colour, which can be affected by the substrate and the texture of the surface. Please note that colour testers indicate the colour of the product only, and are not representative of the quality or sheen of the eventual product purchased.

AkzoNobel, Dulux, Cuprinol, the Tree device, Colour Palette, Dulux Trade Contract Partnership, Dulux Select Decorator, Ducksback, Planet Possible and all distinctive colour names are trade marks of the AkzoNobel group © AkzoNobel 2018.

Cuprinol